



NSL500B Transit Level

Tripod Adaptor: 5 / 8 x 11 thread

Fits flat & dome tripods

Magnification: 20x, with Stadia ratio (1:100)

Image: Erect

Transit Capability: +/- 45°

Working Range: 200 ft

Leveling Accuracy: 1/4 in @ 100 ft

Minimum Focus: 3.5 ft

Leveling Head: Three leveling screws

Includes: Carrying Case, Plumb Bob

& Manual



NSLP500B Transit Level Package

Includes:

NSL 500B Transit Level

NAT83 Contractor's Tripod

NAR09E 9' Aluminum Rod

Carrying Case

Plumb Bob

Manual



NBL Series Builder's Automatic Level



Image: Erect

Objective Aperture: 1.2"

Field of View: 1°5'

Resolution: 3.5"

Graduation: 1°

Sensitivity of Circular Vial: 8"/2mm

Compensator Type: Steel Cage, Wire Hung

Compensation Range: +/- 15'

Tripod Adaptor: 5 / 8 x 11 thread

Magnification:	20x	24x	32x
Working Range:	150 ft	200 ft	300 ft
Leveling Accuracy:	1/16 in @ 75 ft	1/16 in @ 100 ft	1/16 in @ 200 ft

NBLP Builder's Auto Level Package



Includes:

NBL Series Builder's Automatic Level

NAT83 Contractor's Tripod

NAR09E 9' Aluminum Rod

Carrying Case, Plumb Bob & Manual

NCL Series Contractors Automatic Level



Image: Erect

Objective Aperture: 1.2"

Field of View: 1°5'

Resolution: 3.5"

Graduation: 1°

Sensitivity of Circular Vial: 8"/2mm

Compensator Type: Magnetic Dampen, Steel Cage, Wire Hung, Safety Lock

Compensation Range: +/- 15'

Tripod Adaptor: 5 / 8 x 11 thread

Magnification: 22x 26x 32x

Working Range: 200 ft 300 ft 400 ft

Leveling Accuracy: 1/16 in 1/16 in 1/16 in
@ 100 ft @ 150 ft @ 250 ft



NCLP Contractors Auto - Level Package

Includes:

NCL Series Contractors Automatic Level

NAT83 Contractor's Tripod

NAR09E 9' Aluminum Rod

Carrying Case, Plumb Bob & Manual